



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8160-2032:0004
<b>CATEGORY:</b>	8160 - UNDER EAVE FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	SHAKERTOWN 1200 Kerron Street, Winlock, WA, 98596 Contact: Rutledge, Mark (360) 785-3501 (360) 785-3076 Email: mark@shakertown.com
<b>DESIGN:</b>	Shakertown® Dolly Varden Tongue & Grooved, Exterior Cedar Soffit Paneling, 4" and 6" nominal width, 8', 10', 12' lengths, 1" nominal thickness (11/16" true thickness) exposure siding product, Western Red Cedar and fir bonded into 7 ply panel. For horizontal installation only. Refer to the manufacturer's installation instructions and product data sheets.
<b>RATING:</b>	Compliance in accordance with Chapter 7A California Building Code.
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee name, model number, rating and SFM label.
<b>APPROVAL:</b>	Listed as exterior siding for use in the Wildland Urban Interface areas.
<b>NOTES:</b>	

08-19-16 dc



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

**Date Issued: 05/30/2023**

**Listing Expires: 06/30/2024**

Authorized By: **Victor Wong**, Program Coordinator  
Fire Engineering & Investigations Division